

**4X4<sup>®</sup>**  
**TOUGH**  
**GO OFF ROAD**

**4WD ACCESSORIES**



**AIRBAG CERTIFIED** (Driver side bucket seat cover only)

# **CANVAS STYLE CAR SEAT COVERS**

**INSTRUCTIONS AND  
PURCHASE REGISTRATION**

**AFTER SALES SUPPORT 713023**

 **AUS 1300 883 104**

 **www.4x4tough.com.au**  
**sales@4x4tough.com.au**

**MODEL: 23-50081 SAP ID:500126 09/2023**

**V1.1**




# IMPORTANT



## Safety Information

The correct fitment and securing of the Seat Covers on the vehicle's is essential in order for the airbag to work correctly. Incorrect fitment/alignment of the Seat Cover can prevent the vehicle's seat airbags from deploying correctly in the event of an accident. In order for the Seat Covers to fit correctly please do as follows:



1. This Canvas Bucket seat cover has the airbag option (DRIVERS SIDE ONLY) which enables the canvas style seat cover to be fitted on the driver seat.
2. The driver side seat cover must be carefully aligned to the seat, ensuring the seat cover seams are aligned with the seams of the vehicles seat as far as possible, with the emphasis being given to the aligning seam "1" of the seat cover with the corresponding seam "2" of the vehicle seat.
3. Ensure that you inspect your Seat Covers for movement and wear regularly. Seat Covers that have moved must be repositioned immediately. Ideally the Seat Covers should be realigned and tightened if movement is noticeable. If you are unable to reposition or tighten the Seat Cover due to the wear on them, they must be removed and replaced.
4. Do not re-sew or interfere with any part of the Seat Cover including the side seam as the Seat Covers have been designed in a way that allows the airbag to deploy through the Seat Cover in the event of an accident by splitting the side seam open.
5. Do not attempt to alter the Seat Cover in any way; for example do not attempt to create your own hole in the Seat Cover for an existing armrest your vehicle may have.
6. Do not continue to use the Canvas Style Seat Covers if the airbag has been deployed. Immediately remove and disregard the Seat Covers.
7. In the event that the side seam splits do not attempt to repair this as it will hinder the correct operation of the Seat Cover.



**Note** - The barcode label is created by a unique barcode system which uses a technique of measuring the accuracy of the sewing; every set is given its own unique barcode number.

## Fitting Instructions

- Step 1** - Remove Head Rests if possible.
- Step 2** - Remove the barcode labels located on the inside of the driver's and passenger's Canvas Style Seat Cover and place on the registration form. (There are two labels per Seat Cover)
- Step 3** - Fit the back section of the Seat Cover by sliding it over the top of the vehicle's seats and gently pulling it down the seat until it is a neat fit.
- Step 4** - Push the touch tape through the space between the back and base sections of the vehicle's seat. Move the seat backs into a forward position; take the touch tape at the front and pass them through the rings at the back of the seat and guide them back to match back up to the front.
- Step 5** - Adjust the Seat Cover gradually from the top to the bottom pulling the fabric's polyester on the side of the seat to align the Seat Covers with the vehicle's seats actual piping.
- Step 6** - Use the side adjustable drawstrings on the left and right hand side of the seat cover to tighten the canvas cover for an optimum fit on the car seat "A".
- Step 7**:- Secure by tying an overhand knot as on the picture "B" to ensure they will not come loose.
- Step 8**:- **IMPORTANT** While the knot is still loose move the knot along the cord to sit tight against the plastic bead forming a stopper knot, picture "C".
- Step 9** - Finally, fit the Head Rest covers and replace the Head Rest if necessary.



## Care Instructions

- Cold hand wash only.
- Drip dry in shade
- Do not bleach
- Do not iron
- Do not soak
- Do not dry clean
- Do not wring

## Manufacturer

Motozone Auto Accessories, PO Box 5213, Mordialloc Vic 3195  
Telephone: 1300 883 104  
email: sales@4x4tough.com.au  
Website: www.4x4tough.com.au

**SAFETY REGISTRATION FOR SEAT COVERS WITH SIDE AIRBAGS COMPATIBILITY** (PLEASE FILL IN IMMEDIATELY AND SEND BACK)

Dear Customer,

Thank you for purchasing these Canvas Style Seat Covers.

This registration form records that you have purchased and fitted our company's Canvas Style Seat Covers over your vehicle's original seats. Your information together with our product details will be saved on our company records and will be treated with strict confidentiality. This safety registration is free of charge to you. Please fill in the registration form online ([www.4x4tough.com.au](http://www.4x4tough.com.au)) or fill in this card and post it back to us.

**PURCHASE - REGISTRATION FOR THE SENDER**

Name	Vehicle make
Street	Vehicle Model
	Vehicle Series
Suburb	Vehicle Year
State	Vehicle Registration No.
Post Code	
Phone No.	Store Name
Fax No.	Store Address
E-mail Address	
Purchase Date	Date
	Signature

**SAFETY REGISTRATION FOR SEAT COVERS WITH SIDE AIRBAGS COMPATIBILITY (PLEASE FILL IN IMMEDIATELY AND SEND BACK)**

Dear Customer,

Thank you for purchasing these Canvas Style Seat Covers.

This registration form records that you have purchased and fitted our company's Canvas Style Seat Covers over your vehicle's original seats. Your information together with our product details will be saved on our company records and will be treated with strict confidentiality.

This safety registration is free of charge to you. Please fill in the registration form online ([www.4x4tough.com.au](http://www.4x4tough.com.au)) or fill in this card and post it back to us.

**PURCHASE - REGISTRATION FOR THE SENDER**

PLEASE PEEL OFF STICKY LABEL FROM BOTH THE DRIVER AND PASSENGER SEAT COVERS AND PLACE IN THE BOXES BELOW. THERE ARE 2 LABELS INSIDE EACH SEAT COVER MAKING A TOTAL OF 4 LABELS.

Reply to: Motozone Auto Accessories, PO Box 5213, Mordialloc Vic 3195

LABEL BOX 1

LABEL BOX 2

LABEL BOX 3

LABEL BOX 4